

Relay, model MAA-S-124-C, is a 24 VDC, 5-pin

Category: Mbsmpro

written by www.mbsmpro.com | January 4, 2026



The MEISHUO S220 series relay, model MAA-S-124-C, is a 24-volt 5-pin SPDT automotive relay rated 20 A/10 A at 28 VDC. Its DIN 72552 terminal numbering—30, 85, 86, 87 and 87a—gives technicians a universal language for wiring and troubleshooting in vehicles, HVAC equipment and industrial control panels.

Types of Electrical Wires and Their Uses

Category: Mbsmpro

written by www.mbsmpro.com | January 4, 2026



Modern installations use several wire families, each optimized for voltage level, environment, flexibility, and temperature range. Choosing the right type reduces losses, prevents overheating, and keeps residential, industrial, and communication systems compliant with safety standards. PVC house wiring, flexible multi-core cables, armoured feeders, PTFE high-temperature conductors, and data or earth wires all play specific roles.

Embraco EM2Z 80HL.C compressor requires approximately 150 ml Oil

Category: Refrigeration

written by www.mbsmpro.com | January 4, 2026



The Embraco EM2Z 80HL.C is a robust hermetic reciprocating compressor engineered for refrigeration efficiency. Featuring a 1/4 HP motor and optimized for R134a refrigerant, this Brazilian-made unit delivers reliable Low Back Pressure (LBP) performance. This guide details its 150ml oil charge, electrical specs, and competitive advantages for technicians.

Scroll Compressor Internal Components Explained

Category: Refrigeration

written by www.mbsmpro.com | January 4, 2026



When technicians open a scroll compressor casing, the real engineering lives in internal mechanisms invisible at first glance: the floating seal preventing vacuum damage, the motor protector monitoring temperature and amperage, the pressure relief valve, the discharge check valve preventing reverse rotation, and the optimized bearing system. Understanding these core components transforms your diagnostic confidence.

Donper K400CZ1 R134a compressor

Category: Refrigeration

written by www.mbsmpro.com | January 4, 2026



The Donper K400CZ1 is a hermetic reciprocating compressor designed for commercial refrigerators and chest freezers operating with refrigerant R134a on 220-240V 50Hz single-phase power. It offers roughly 1/2 hp class performance with about 400 W cooling capacity, making it suitable for medium-size display cabinets and storage equipment in supermarkets and restaurants.

Start Run Capacitor Failure, Causes

Category: Mbsmpro

written by www.mbsmpro.com | January 4, 2026



An AC motor run capacitor such as the CBB65 SH usually explodes when it is forced to work beyond its electrical or thermal limits, or when the start-assist components fail and leave it in the circuit too long. This overstress breaks down the dielectric, creates internal gas and pressure, and finally ruptures the can.

Danfoss Compressor HP Chart - TFS, FR, SC Model Reference

Category: Refrigeration

written by www.mbsmpro.com | January 4, 2026



When a refrigerator or freezer arrives with a worn nameplate, identifying the compressor becomes difficult. The Danfoss and Secop model codes—such as TFS 4 AT, FR 8.5A, or SC 18B—tell you exactly what you’re dealing with. This chart breaks down those codes into horsepower, watt consumption, and amp ratings for fast diagnosis.

Electrical Insulators in Overhead Power Systems

Category: Equipment
written by www.mbsmpro.com | January 4, 2026



Electrical insulators are fundamental safety components in overhead transmission and distribution networks, keeping high-voltage conductors mechanically supported while blocking dangerous leakage currents. This article explains the main types of electrical insulators—disc, glass, pin, suspension, strain, post, shackle, egg, railway and precipitator—and compares their materials, voltage ratings, and ideal applications for modern power systems.

Copeland ZR61KCE-TF7-522

Category: Refrigeration
written by www.mbsmpro.com | January 4, 2026



The data plate on the Copeland ZR61KCE-TF7-522 compressor matches the official Copeland Scroll specifications for R407C air-conditioning duty and includes the Copeland authenticity label linking to copeland.com/v, a key anti-counterfeit feature. When purchased through an authorized distributor, these details strongly indicate that the unit installed in your system is genuine.

Tecumseh Commercial Refrigeration Compressors

Category: Refrigeration

written by www.mbsmpro.com | January 4, 2026



Tecumseh commercial compressors range from 1/9 HP (230 W) to 3 HP (4,000 W), delivering refrigeration capacities from 278 W to 6,973 W across R404A, R134a, and legacy refrigerants. This complete technical guide provides exact horsepower, input wattage, evaporating ranges, and application types for all ten major models used in supermarkets, walk-ins, and retail coolers.