

ZMC GL80AF R134a Hermetic Compressor

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



ZMC GL80AF R134a 1/5 HP hermetic refrigerator compressor technical data and applications
Mbsmgroup Mbsm.pro mbsmpro.com mbsm.

Refrigerants, Standing, Suction and Discharge Pressures for Modern HVAC Systems

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



Refrigerant	Boiling Point (°C)	Typical Suction Pressure (PSIG)	Typical Discharge Pressure (PSIG)
R22	-40.8	40-50	120-140
R134a	-26.1	30-40	100-120
R32	-50.7	30-40	100-120
R404A	-46.1	30-40	100-120
R407C	-39.1	30-40	100-120
R410A	-51.6	30-40	100-120
R290	-42.1	30-40	100-120
R600a	-42.4	30-40	100-120
R417A	-45.5	30-40	100-120

Explore a practical refrigerant pressure chart with typical standing, suction and discharge pressures plus boiling points for R22, R134a, R32, R404A, R407C, R410A, R290, R600a and R417A.

LG T1387NEHVE 13.2 kg Smart Inverter, Washing Machine

Category: Equipment

written by www.mbsmpro.com | December 27, 2025



The label fixed to the side of the LG T1387NEHVE washing machine is more than a simple sticker; it is a compact technical identity card that tells you exactly what this appliance can do, how it should be powered, and when it was manufactured for technicians and careful buyers.

[Compressor database chart Relay Olp](#)

Category: Equipment

written by www.mbsmpro.com | December 27, 2025



HP	1/8	1/6	1/5	1/4	1/3	1/2
W	93	125	150	180	245	375
nom(A)	3.0	3.6	4.25	4.75	5.30	6
in(A)	2.6	3.0	3.35	3.75	4.25	5

A refrigerator compressor does not run alone; it depends on a start relay and an overload protector (OLP) to start safely and avoid burning out. The wiring diagram of compressor, relay, and OLP shows how power flows from the thermostat, through protection devices, to the motor windings, keeping domestic fridges reliable and safe.

[Electrostar 16 foot refrigerator 1/6 HP compressor 125W top freezer Mbsmgroup](#)

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



Electrostar's 16-foot refrigerator remains a practical choice for families who want reliable cooling and manageable energy use. With a capacity of roughly 315–330 liters and a compact top-freezer layout, it relies on a small 1/6 HP-class compressor, drawing around 125 watts, to balance cooling performance, noise and long-term running costs.

Kiriazhi 6-Drawer No-Frost Upright Freezer: Complete Technical and Service-Level Overview

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



The Kiriazhi 6-drawer no-frost upright freezer is designed for households and technicians who expect serious performance from a domestic appliance. With a tall, space-saving cabinet, six organized drawers and a tropicalized 1/6 hp compressor, it delivers reliable deep-freeze temperatures, digital control and efficient energy use even in demanding, high-ambient environments.

Zanussi 16 Cubic Feet Refrigerator Compressor GL90AA - 1/4 HP R134a

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



A 16 cubic feet Zanussi refrigerator typically relies on the GL90AA hermetic compressor, a compact piston unit built for R134a and low back pressure applications. This 1/4 HP motor offers cooling capacities from roughly 165 W up to around 346 W, giving enough reserve to maintain stable temperatures in family-size fridges even in hot kitchens.

[Samsung front-load tub front half assembly: dimensions, components and replacement guide](#)

Category: Equipment

written by www.mbsmpro.com | December 27, 2025



The tub front half assembly on Samsung front-load washing machines combines the plastic support ring, EPDM rubber door gasket, drain hose and spring-loaded clamp into one critical sealing unit between the drum and cabinet. It defines the loading opening and overall tub size while ensuring leak-free, efficient washing and spin performance for modern laundry applications.

[Finder 66.82.8.230.0000 Power Relay: Reliable 30A Solution for HVAC and](#)

Industrial Control

Category: Equipment

written by www.mbsmpro.com | December 27, 2025



The Finder 66.82.8.230.0000 is a high-power, flange-mount relay designed for demanding switching tasks in HVAC, refrigeration and industrial control panels. With a 230 V AC coil and 30 A contact rating, it offers a compact but robust alternative to contactors in many applications, saving space while maintaining safety.

Tecumseh CAJ9480T R22 Hermetic Compressor: Complete Technical Guide for Professionals

Category: Refrigeration

written by www.mbsmpro.com | December 27, 2025



The Tecumseh / L'Unité Hermetique CAJ9480T is a 5/8 HP hermetic compressor delivering about 1 968 W of cooling capacity for R22 commercial refrigeration systems. It is widely used in small cold rooms, display cabinets and compact condensing units. This Mbsmgroup guide explains its main specifications, applications, installation tips and key technical PDFs.