

Ball Valves Types and Sizes: 3-Way

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



3 way ball valve union ball valve male female nickel plated 1 2 3 4 1 inch plumbing hvac water installation

Carrier Pro-Dialog+

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



Carrier Pro-Dialog+ Tripout shutdown alarm, access denied message and troubleshooting steps by Mbsmgroup

Ariston AB 636 T EX

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



Ariston AB 636 T EX washing machine rating plate identification and technical specifications for repair technicians

[LG T1387NEHVE 13.2 kg Smart Inverter, Washing Machine](#)

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



The label fixed to the side of the LG T1387NEHVE washing machine is more than a simple sticker; it is a compact technical identity card that tells you exactly what this appliance can do, how it should be powered, and when it was manufactured for technicians and careful buyers.

[Compressor database chart Relay Olp](#)

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



A refrigerator compressor does not run alone; it depends on a start relay and an overload protector (OLP) to start safely and avoid burning out. The wiring diagram of compressor, relay, and OLP shows how power flows from the thermostat, through protection devices, to the motor windings, keeping domestic fridges reliable and safe.

Samsung front-load tub front half assembly: dimensions, components and replacement guide

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



The tub front half assembly on Samsung front-load washing machines combines the plastic support ring, EPDM rubber door gasket, drain hose and spring-loaded clamp into one critical sealing unit between the drum and cabinet. It defines the loading opening and overall tub size while ensuring leak-free, efficient washing and spin performance for modern laundry applications.

Finder 66.82.8.230.0000 Power Relay: Reliable 30A Solution for HVAC and Industrial Control

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



The Finder 66.82.8.230.0000 is a high-power, flange-mount relay designed for demanding switching tasks in HVAC, refrigeration and industrial control panels. With a 230 V AC coil and 30 A contact rating, it offers a compact but robust alternative to contactors in many applications, saving space while maintaining safety.

MADEL KCA-SUB zoning control module: wiring, functions and professional applications

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



The MADEL KCA-SUB is an electronic zoning controller designed to manage up to six independent air-conditioning zones from a single ducted unit. The image shows the KCA-SUB installed in a junction box with its power, relay and sensor terminals visible, offering HVAC technicians a compact and versatile solution for sub-zone temperature control.

Electrostatic Paint Sprayer: Precision Coating for Modern Workshops

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



In many metalworking, HVAC and automotive workshops, an electrostatic paint sprayer has become

the secret weapon for achieving premium finishes with less paint and less mess. This compact mobile system charges each droplet of paint so it is strongly attracted to grounded metal parts, wrapping around complex shapes and cutting overspray dramatically.

Carel DN33V9MR20 Universal Controller: Reliable DIN-Rail Control For Modern HVAC Systems

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



The Carel DN33V9MR20 is a compact universal electronic controller designed for DIN-rail mounting in professional HVAC and refrigeration panels. It offers a wide low-voltage power-supply range, two analogue and two digital inputs, and a robust relay output with buzzer and infrared receiver, delivering reliable temperature management in demanding applications.