

# **Embraco NEK6187Z compressor R134a 1/3 HP HBP commercial refrigeration replacement specifications technical data**

Category: Refrigeration

written by [www.mbsmpro.com](http://www.mbsmpro.com) | February 19, 2026



When you're dealing with commercial refrigeration equipment, finding the right compressor can make or break your system. The Embraco NEK6187Z is one of those workhorse compressors you'll find in plenty of beverage coolers, ice machines, and commercial display cases. Let's dive into what makes this compressor tick.

---

# **SC18CLX.2 compressor 104L2197 Danfoss Secop R404A R507 LBP 220-240V 50Hz specifications replacement**

Category: Refrigeration

written by [www.mbsmpro.com](http://www.mbsmpro.com) | February 19, 2026



The SC18CLX.2 (104L2197) is a professional-grade hermetic reciprocating compressor manufactured by Danfoss/Secop in Germany. Designed for commercial freezing applications, it operates with R404A/R507 refrigerants on 220-240V 50Hz power supply. With 17.68 cm<sup>3</sup> displacement and CSIR motor technology, this LBP compressor delivers reliable performance.

---

## **Danfoss SLV15CNK R290 compressor specifications, replacement guide, technical data, cooling capacity, inverter compressor LBP freezer commercial refrigeration**

Category: Refrigeration

written by [www.mbsmpro.com](http://www.mbsmpro.com) | February 19, 2026



The Danfoss SLV15CNK is a sophisticated variable-speed compressor running on natural refrigerant R290. Designed for commercial freezing applications from -40°C to -10°C, this 15.28 cm<sup>3</sup> inverter compressor requires a dedicated SLV controller and delivers 393-858W cooling capacity depending on operating speed and temperature conditions.

---

## **Danfoss SC18CL compressor R404A R507 specifications replacement 104L2123 commercial freezer refrigeration**

Category: Refrigeration

written by [www.mbsmpro.com](http://www.mbsmpro.com) | February 19, 2026



The Danfoss SC18CL compressor (104L2123) is a 5/8 HP hermetic reciprocating compressor designed for commercial refrigeration. Operating on R404A/R507 refrigerants at 220-240V 50Hz, it delivers 781W cooling capacity at -23°C for LBP/MBP applications. This comprehensive guide covers

