

[GMCC PE90HME-4 hermetic compressor](#)

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



GMCC PE90HME-4 R134a refrigerator compressor 220-240V 50/60Hz 265-295 W LBP RSCR motor comparison with PE65H1H-9 and PE90H1F-9 models

[Compressor Windings, CSR Terminals](#)

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



compressor windings CSR pin configuration common start run terminals, PTC relay overload wiring and multimeter resistance testing guide

[Danfoss FR10B 103U2954 Compressor](#)

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



Danfoss FR10B 103U2954 hermetic compressor 220-240V 50/60Hz LBP freezer application data and replacement guidance

[Fresh SFW13C1P-B Split Air Conditioner](#)

Category: Air Conditioner

written by www.mbsmpro.com | December 31, 2025




Fresh SFW13C1P-B Split Air Conditioner - Nameplate Data, Error 11.1 Meaning and Pro Troubleshooting

[AMS1117 Voltage Regulator](#)

Category: Electronic

written by www.mbsmpro.com | December 31, 2025



AMS1117 voltage regulator pinout input output ground fixed versions 1.5V 1.8V 2.5V 2.85V 3.3V 5V applications

Trane 24000 BTU, 4MXTE24ASB000AB, 4TXKE24ASB0000A

Category: Air Conditioner

written by www.mbsmpro.com | December 31, 2025



Discover the technical specifications, electrical data and installation guidelines for the Trane 24,000 BTU middle static pressure duct type air conditioner using R410A, ideal for residential and light commercial ducted systems.

GR-EFV45,El Araby Toshiba

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



The Toshiba 3-door 16 cu.ft no-frost silver refrigerator from El Araby is built for households that need generous storage and dependable cooling without complicated controls. With about 351 liters of net capacity, vapor no-frost technology and a dedicated middle fresh zone, it keeps frozen, fresh and ready-to-cook foods neatly organized.

Bitzer 4J-13.2Y-40P semi-hermetic

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



The Bitzer 4J-13.2Y-40P is a semi-hermetic reciprocating compressor designed for demanding commercial refrigeration applications. Its nameplate provides critical information for installers, including voltage ranges of 380-420 V at 50 Hz and 440-480 V at 60 Hz, running current, starting current, displacement flow and maximum permissible shell pressures.

Carrier Pro-Dialog+

Category: Equipment

written by www.mbsmpro.com | December 31, 2025



Carrier Pro-Dialog+ Tripout shutdown alarm, access denied message and troubleshooting steps by Mbsmgroup

Copeland QR15M1-TFD-501 compressor

Category: Refrigeration

written by www.mbsmpro.com | December 31, 2025



Copeland QR15M1-TFD-501 low-sound R22 hermetic compressor technical specifications and applications