

[Blue Star Inverter AC Error Codes](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026



Blue Star inverter ACs display error codes to help technicians diagnose faults quickly. This guide covers models BO-IC312YATU, BO-IC318YBTU, and BO-IC324YATU, offering tables, comparisons, and expert advice.

[HVAC Valve Cores](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026



Excerpt: Valve cores are vital for HVAC and refrigeration systems. This guide explores Schrader valve types, pressure ratings, material choices, and engineering tips for optimal performance and leak prevention.

[Flaring Tool Guide](#)

Category: Equipment

written by www.mbsmpro.com | January 8, 2026




A bar-type flaring tool is essential for creating leak-proof connections in copper tubing. Its multiple size openings handle various tube diameters, while the adjustable T-handle provides precise control. This guide covers proper technique, common mistakes, and tool selection.

[NOCT-27545 & NRVT35-275 Tool Guide](#)

Category: Equipment

written by www.mbsmpro.com | January 8, 2026



The NOCT-27545 ratchet wrench and NRVT35-275 flaring tool represent specialized HVAC instrumentation. This guide explains their functions, from creating perfect 45° flares to reaming tubing and driving fasteners in tight spaces, ensuring leak-free, professional installations.

[DIY 1000W AC Voltage Regulator, BT136 TRIAC](#)

Category: Electronic

written by www.mbsmpro.com | January 8, 2026



Achieve total control over your workshop machinery with the 1000 Watt AC dimmer circuit featuring the BT136 TRIAC. This professional-grade regulator is designed for 220V applications, allowing you to fine-tune the RPM of angle grinders and bench grinders. Explore our detailed component analysis and safety comparisons to build your own high-efficiency power controller today.

[Danfoss hermetic compressors capillary sizing chart](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026




Capillary Length	Capillary No.	Oil	By Measurement	Compressor No.
4 Feet	0.26	150 ml	1/12	TL2A
4 Feet	0.26	150 ml	1/12	TL2DA
4 Feet	0.26	150 ml	1/12	TL2DB
4 Feet	0.26	150 ml	1/12	PW308
6 Feet	0.26	175 ml	1/10	PW307
6 Feet	0.26	175 ml	1/10	TL3B
7.5 Feet	0.26	200 ml	1/8	TL3A
7.5 Feet	0.26	200 ml	1/8	PW309
7.5 Feet	0.26	200 ml	1/8	PW309
7.5 Feet	0.26	200 ml	1/8	PW309
7.5 Feet	0.26	200 ml	1/8	TR5A2
8 Feet	0.31	200 ml	1/8	TL5A
8 Feet	0.31	200 ml	1/8	PW309
8 Feet	0.31	200 ml	1/8	PW309
8 Feet	0.31	200 ml	1/8	TR5A2
10 Feet	0.31	275 ml	1/6	F1000
10 Feet	0.31	275 ml	1/6	F1010A
10 Feet	0.31	300 ml	1/5	F1010
10 Feet	0.31	300 ml	1/5	F1010

Technicians match Danfoss compressors to systems using precise capillary tube lengths from 4 to 10 feet, paired with specific oil charges like 150 ml for 1/12 HP models. Capillary numbers 0.26 to 0.31 ensure optimal refrigerant flow in LBP setups.

[Spot Welding Machine Circuit](#)

Category: Equipment

written by www.mbsmpro.com | January 8, 2026



Fabricators rely on the classic spot welding machine circuit featuring a half-wave rectifier for reliable AC-to-DC conversion. A heavy-duty step-down transformer boosts current for nugget formation, while an adjustable timer controls squeeze, weld, and hold phases precisely.

[Mitsubishi Electric PUHY-P250YKH-TH](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026



The Mitsubishi Electric PUHY-P250YKH-TH stands out as a powerful 25HP outdoor unit in the City Multi VRF series, designed for large-scale commercial HVAC applications. Featuring R410A refrigerant, it delivers 22.4 kW nominal cooling and 25.0 kW heating capacity with top-tier efficiency.

[Compressor, FN66Q11G, 1/6 hp](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026



The Matsushita FN66Q11G is a highly reliable 1/6 hp reciprocating compressor designed for low back pressure applications. Operating on 220-240V at 50Hz, this R12-based unit was manufactured in Singapore and is known for its long-lasting performance in domestic refrigerators. Learn about its cooling capacity, amperage, and modern replacement options in this comprehensive technical guide.

[Copeland CS16K6E-PFZ-155 Compressor](#)

Category: Refrigeration

written by www.mbsmpro.com | January 8, 2026



The Copeland CS16K6E-PFZ-155 is a high-efficiency hermetic reciprocating compressor designed for commercial refrigeration. Operating at 220-240V and 50Hz, this 1.25 HP powerhouse is optimized for R404A and R507 refrigerants. Known for its durability in medium-temperature applications, it features POE oil and thermal protection, making it a reliable choice for cold rooms and professional cooling systems.