

## Compressor, ZMC EGM66AF, is an excellent fit for a 10-foot refrigerator

[mbsmpro.com/compressor-zmc-egm66af-is-an-excellent-fit-for-a-10-foot-refrigerator](http://mbsmpro.com/compressor-zmc-egm66af-is-an-excellent-fit-for-a-10-foot-refrigerator)

[www.mbsmpro.com](http://www.mbsmpro.com)

January 29, 2026



29, Jan 2026

Compressor, ZMC EGM66AF, is an excellent fit for a 10-foot refrigerator

Yes, this compressor ([ZMC EGM66AF](#)) is an excellent fit for a **10-foot refrigerator**. It is rated at approximately [1/6 HP](#), which is the industry standard for domestic fridges in the 10 to 12-foot range.

[Mbsmpro.com](#), Compressor, [EGM66AF](#), [1/6 hp](#), [ZMC](#), Cooling, [R134a](#), 150 W, 1.1 A, 1Ph 220-240V 50Hz, LBP

---

Feature	Specification
Model	<a href="#">ZMC EGM66AF</a>
Utilization	LBP (Low Back Pressure)
Domaine	Freezing / Cooling (Domestic)
Oil Type and Quantity	POE / Ester Oil – ~180ml
Horsepower (HP)	<a href="#">1/6 HP</a>
Refrigerant Type	<a href="#">R134a</a>
Power Supply	220-240V ~ 50Hz
Cooling Capacity BTU	~512 BTU/h (at -23.3°C)
Motor Type	RSIR (Resistive Start – Induction Run)
Displacement	6.66 cm <sup>3</sup>
Winding Material	High-Grade Copper
Pression Charge	Low side: 0 – 10 PSI (typical)
Capillary	0.031" ID
Model Fridge	10 – 12 Feet (Kiriazi, Olympic, etc.)
Temperature Function	-35°C to -10°C
With Fan or No	No (Static Cooling)
Commercial or No	No (Residential/Domestic)
Amperage in Function	0.8A to 1.1A
LRA	9.0A
Type of Relay	PTC (Positive Temperature Coefficient)
Capacitor	Generally not required (None)

---

## [Compressor Replacement](#) Options

5 Replacements (Same Gas – [R134a](#)):

- 1. **Embraco:** EMY65HLC / EMI 70HER
- 2. **Danfoss/Secop:** TLS6F
- 3. **Panasonic:** QB66C13GAX5
- 4. **Tecumseh:** THG1352YGS
- 5. **Huayi:** HYE69MTU

**5 Replacements (Other Gas – R600a):**

*Note: Requires full system flush and oil change consideration.*

- 1. [ZMC](#): EGM66AA
- 2. **Embraco:** EMX55CLC
- 3. **Secop:** TLES6.5KK.3
- 4. **Donper:** L72CZ1
- 5. **Jiaxipera:** T1114Y

**The Engineering Guide to [ZMC EGM66AF](#) Performance**

---

In the demanding world of residential cooling, the compressor serves as the mechanical heart of the appliance. The [ZMC EGM66AF](#) stands out as a robust [1/6 HP](#) unit, specifically engineered for **Low Back Pressure (LBP)** applications. This model is a favorite among field engineers due to its Egyptian-made reliability, combining European design standards with local durability.

**Technical Efficiency & Motor Design**

---

The [EGM66AF](#) utilizes an **RSIR motor** (Resistive Start, Induction Run). Unlike many modern low-power compressors that use aluminum windings to shave weight, [ZMC](#) continues to utilize high-purity copper. This ensures better heat dissipation and reduces the risk of winding burnout during high-ambient-temperature summers.

**Comparative Value Analysis**

---

When compared to its peers, the [EGM66AF](#) offers a balanced displacement-to-power ratio:

Feature	<a href="#">ZMC EGM66AF</a>	<a href="#">Danfoss TLS6F</a>	<a href="#">Embraco EMY65HLC</a>
Displacement	6.66 cc	5.70 cc	5.96 cc
Cooling Power	150 W	145 W	158 W
Winding Type	Copper	Mixed/Copper	Copper

**Professional Field Advice & Benefits**

---

- **Optimal Environment:** This compressor is designed for static cooling. Do not install it in commercial cabinets that require forced-air fan cooling unless the airflow is specifically directed at the compressor body to prevent overheating.

- **Vacuum Protocol:** [R134a](#) systems use POE oil, which is highly sensitive to moisture. A minimum vacuum of 500 microns is essential to prevent “acid” formation inside the capillary tube.
- **Filter Drier:** Always replace the filter drier when installing a new [EGM66AF](#). A 15g or 20g drier is sufficient for a 10-foot refrigerator setup.

## SEO Metadata

---

- **Focus Keyword:** [ZMC EGM66AF](#) Refrigerator Compressor [1/6 HP](#)
- **SEO Title:** [Mbsmpro.com](#) | [ZMC](#) EGM66AF Compressor Specs | [1/6 HP R134a](#) Technical Data
- **Meta Description:** Detailed technical specifications for the ZMC EGM66AF compressor. Ideal for 10-12 feet refrigerators using [R134a](#). Find HP, cooling capacity, and 10 cross-replacement models.
- **Slug:** [zmc-egm66af-1-6-hp-compressor-specs](#)
- **Tags:** [Mbsmgroup](#), [Mbsm.pro](#), [mbsmpro.com](#), [mbsm](#), [ZMC](#), [EGM66AF](#), [R134a](#), [1/6 HP](#), [Refrigerator Repair](#), [Compressor Replacement](#), [Danfoss TLS6F](#), [Embraco EMY65HLC](#), [Panasonic QB66C](#), [Cooling Technology](#).

## Excerpt

---

The ZMC EGM66AF is a high-reliability [1/6 HP](#) compressor designed for Low Back Pressure (LBP) applications in domestic refrigerators ranging from 10 to 12 feet. Utilizing [R134a](#) refrigerant and a 6.66cc displacement, this unit features durable copper windings and an RSIR motor, making it a preferred choice for technicians seeking longevity and efficiency.

 [Open Static HTML \(Offline Version\)](#)

## Mbsmpro Google link tools

---

- [Google: this title](#)
- [Google: all site pages](#)
- [Google: domain mentions](#)
- [RSS Feed](#)
- [Sitemap](#)
- [Sitemap Html](#)
- [Html Page](#)
- [Upload Page](#)
- [Sitemap Media](#)

Tags: [1/6 HP](#), [Compressor Replacement](#), [Danfoss TLS6F](#), [EGM66AF](#), [Embraco EMY65HLC](#), [mbsm](#), [mbsm.pro](#), [mbsmgroup](#), [mbsmpro.com](#), [Panasonic QB66C](#), [R134a](#), [Refrigerator Repair](#), [ZMC](#)