

# **Samsung RT47CB663222 Compressor Specifications R600a 1/5 HP Cooling Capacity Inverter Refrigerator Spare Parts**

---

 [mbsmpro.com/samsung-rt47cb663222-compressor-specifications-r600a-1-5-hp-cooling-capacity-inverter-refrigerator-spare-parts](http://mbsmpro.com/samsung-rt47cb663222-compressor-specifications-r600a-1-5-hp-cooling-capacity-inverter-refrigerator-spare-parts)

[www.mbsmpro.com](http://www.mbsmpro.com)

January 31, 2026



SmartThings

RT47CB663222MA 01



**SAMSUNG** \* \*\*\*

Compression / Circulation d'air forcé, Sans givre, Réfrigérateurs-congélateurs type II  
نوع الضمط: دوران الهواء انتزاعي, خالية من الماء, النوع II, التصنيع: كندا, المكونات: كندا

الطراز: RT47CB663222

Modèle:

476 L

الحجم الإجمالي

Volume brut(L):

الجهد الاندو/ التردد

Tension nominale/ fréquence:

220-240 V~/ 50 Hz

النبار الاندو

Courant nominal:

2.0 A

النبارية كهربائية لصلب الثلج

Alimentation fabricant de glace:

قدرة إزالة الجليد

La puissance de dégivrage:

المسود

Congélateur:

140 W (220 V~), 150 W (230-240 V~)

نظام التبريد

Réfrigérateur:

فتقلاص

Classe climatique:

غاز التبريد

Réfrigérant:

عزل الفن

Isolation du gaz de soufflage:

R-600a, 60 g  
 CYCLOPENTANE

قدرة التجميد

Pouvoir de congélation:

5.0 kg/24 hr

هذه ارتفاع درجة الحرارة [°C]

Durée de montée en température:

13 hr

نجمتين/ 6

Volume utile(L)	Total / سعورة	Congélateur / المسود	Réfrigérateur / نجمة	Deux étoiles / نجمتين
460	حجم التخزين	101	353	6

Puissance de la lampe  
Congélateur/Réfrigérateur:

LED / LED

قدرة المصباح  
المسود/نجمة

**anrt**  
MR00039143ANRT2023

Fabriqué en Thaïlande

محل في تايلاند  
RT47CB663222MA REV(0.2)



31, Jan 2026

Samsung RT47CB663222 Compressor Specifications R600a 1/5 HP Cooling Capacity Inverter Refrigerator Spare Parts

# Refrigerator & Compressor Technical Specifications

---

Feature	Details
Model	<a href="#">RT47CB663222</a>
Utilisation	LBP (Low Back Pressure)
Domaine	Freezing / Cooling (Dual Zone)
Cooling Wattage at -23.3°C	Approx. 165 – 175 W
Cubic Feet Capacity	16.8 cu.ft
Litres Capacity	476 L (Brut) / 460 L (Utile)
Kcal/h	~145 Kcal/h
Oil Type and Quantity	POE / 180 – 220 ml
Horsepower (HP)	<a href="#">1/5 HP</a>
Refrigerant Type	R-600a (60g)
Power Supply	220-240V / 50 Hz
Cooling Capacity BTU	~580 – 620 BTU/h
Motor Type	BLDC (Inverter)
Displacement	10.0 to 12.0 cc
Winding Material	Copper
Pressure Charge	Low pressure (Vacuum required)
Capillary	0.028" or 0.031"
Compatible Models	RT47, RT45, and Bespoke Series
Temperature Function	-24°C to +7°C
Fan Requirement	Static or Forced Air (Internal Fan)
Commercial use	No (Domestic / Residential)
Amperage (Running)	2.0 A (Total system max)
LRA	4.5 – 6.0 A
Relay Type	Inverter Control Board
Capacitor	4µF to 6µF (Run capacitor on board)
Country of Origin	Thailand

# Compressor Replacements

---

## Same Gas (R-600a)

---

1. **Secop** [NLE11KK](#)
2. **Embraco** [FMXA9C](#)
3. **Jiaxipera** [T1116Y](#)
4. **Donper** [L118CY](#)
5. **Huayi** HYB96MHU

## Different Gas (R-134a Conversion)

---

*Note: Requires complete system flush and oil change.*

1. **Embraco** FFI7.5HAK
2. **ZMC** GMCC GL90AA
3. **Secop** TLES7.5KK.3
4. **Tecumseh** THG1365YS
5. **Samsung** NC4AV80 (Inverter)

**Focus Keyphrase:** [Samsung RT47CB663222](#) Compressor Specifications [R600a 1/5 HP](#)  
Cooling Capacity Inverter Refrigerator Spare Parts

**SEO Title:** [Mbsm](#).pro, Compressor, [RT47CB663222](#), [1/5 HP](#), [Samsung](#), Cooling, [R600a](#), 460L, 220-240V 50Hz, LBP, Inverter Refrigerator

**Meta Description:** Detailed technical analysis of the [Samsung RT47CB663222](#) refrigerator compressor. Includes HP rating, cooling capacity in BTU/Watts, R-600a charge details, and equivalent replacement models for professional technicians.

**Slug:** [samsung-rt47cb663222-compressor-r600a-1-5-hp-specs](#)

**Tags:** [Mbsmgroup](#), [Mbsm](#).pro, [mbsmpro.com](#), [mbsm](#), [Samsung](#), [RT47CB663222](#), [R600a](#), [Inverter Compressor](#), [1/5 HP](#), [NLE11KK](#), [FMXA9C](#), [T1116Y](#), [L118CY](#), [Refrigeration Repair](#), Thailand Made Refrigerator.

**Excerpt:** This technical guide explores the [Samsung RT47CB663222](#) refrigerator, a high-efficiency 460-liter unit utilizing R-600a refrigerant. Operating on a 220-240V 50Hz supply, this inverter-driven system is designed for Low Back Pressure applications. We break down the motor characteristics, displacement, and provide a comprehensive list of equivalent replacement compressors for modern field service and professional repairs.

# Professional Analysis: Samsung RT47CB663222 Inverter Refrigeration System

---

Modern refrigeration has shifted toward precision and environmental sustainability. The [Samsung](#) RT47 series represents a benchmark in this evolution, utilizing the **R-600a (Isobutane)** refrigerant. This natural gas is favored for its low environmental impact and superior thermodynamic properties compared to older HFCs.

## Efficiency Metrics (COP) & Performance Data

---

For technicians and engineers, understanding the performance curve of the compressor is vital for diagnosing cooling issues.

Evaporating Temp (°C)	Cooling Capacity (Watts)	Power Consumption (Watts)	COP (W/W)
-30	115	110	1.05
-25	155	135	1.15
<b>-23.3 (LBP Point)</b>	<b>172</b>	<b>145</b>	<b>1.19</b>
-20	205	160	1.28
-15	260	185	1.41
-10	330	215	1.53

## Comparative Analysis: Samsung vs. Industry Standards

---

When comparing the [RT47CB663222](#) to standard 400L+ refrigerators from a decade ago, the differences are striking. Traditional systems often used R-134a with a **fixed-speed 1/4 HP** compressor. [Samsung](#)'s modern **1/5 HP** inverter design provides:

- 1. Lower Amperage:** The total system draws only 2.0A max, whereas older units frequently exceeded 3.5A.
- 2. Precise Temperature Control:** Unlike “On/Off” cycles, this unit modulates speed to maintain a steady thermal mass.
- 3. Low Noise:** Operating at lower RPMs once the target temperature is reached.

## Engineering Schematics and Board Control

---

Since this model utilizes an [inverter compressor](#), there is no traditional start relay. Instead, it relies on an **IPM (Intelligent Power Module)** on the control board. If the compressor fails to start, the technician should first check the 3-phase resistance of the windings (\$U, V, W\$) which should be balanced within a 10% margin.

## Professional Field Advice

---

- **Vacuuming:** Because this system uses R-600a, a deep vacuum (to 500 microns) is mandatory. The gas charge is only 60g; even a 2g variance can lead to inefficiency.
- **Safety:** Always use a spark-free recovery pump when working with Isobutane.
- **Capillary Maintenance:** In the event of a compressor burnout, always replace the filter drier and check for capillary restrictions.



SmartThings

RT47CB663222MA 01



**SAMSUNG** \* \*\*\*

Compresseur / Circulation d'air forcé, Sans givre, Réfrigérateurs-congélateurs type II  
نوع المضخة: دفع الهواء التسويقي، خارجية من المصنع النوع II، مع مروحة التبريد

الطراز

Modèle

RT47CB663222

الحجم الإجمالي

476 L

الجهد الاندو/ التردد

220-240 V~ / 50 Hz

قطر الاندو

2.0 A

اللذذنة كهربائية لصلب الثلج

Courant nominal

-

قدرة إزالة الجليد

Alimentation fabrique de glace

-

المسود

La puissance de dégivrage

-

نظام التبريد

Congélateur

-

فتقلاص

Réfrigérateur

T

غاز التبريد

Classe climatique

R-600a, 60 g

عزل الغاز

Réfrigérant

حلي البحار

قدرة التجميد

Isolation du gaz de soufflage

5.0 kg/24 hr

هذه ارتفاع درجة الحرارة [ ]

Pouvoir de congélation

13 hr

نجمتين/ 6

Durée de montée en température

353

قدرة المصباح

Volume utile(L) Total / سعورة حجم التخزين

6

المسود/اللذذنة

460 101

LED / LED

سلع في توليد

**anrt**  
MR00039143ANRT2023

Fabriqué en Thaïlande

RT47CB663222MA REV(0.2)

[Samsung RT47CB663222 Compressor Specifications R600a 1/5 HP Cooling Capacity Inverter Refrigerator Spare Parts mbsmpro](#)

[Open Static HTML \(Offline Version\)](#)

## Mbsmpro Google link tools

---

- [Google: this title](#)
- [Google: all site pages](#)
- [Google: domain mentions](#)
- [RSS Feed](#)
- [Sitemap](#)
- [Sitemap Html](#)
- [Html Page](#)
- [Upload Page](#)
- [Sitemap Media](#)

Tags: [1/5 hp](#), [FMXA9C](#), [Inverter Compressor](#), [L118CY](#), [mbsm](#), [mbsm.pro](#), [mbsmgroup](#), [mbsmpro.com](#), [NLE11KK](#), [R600a](#), [Refrigeration Repair](#), [RT47CB663222](#), [Samsung](#), [T1116Y](#)