

# Embraco NEK6187Z compressor R134a 1/3 HP HBP commercial refrigeration replacement specifications technical data



[mbsmpro.com/embraco-nek6187z-compressor-r134a-1-3-hp-hbp-specifications-replacements](https://mbsmpro.com/embraco-nek6187z-compressor-r134a-1-3-hp-hbp-specifications-replacements)

www.mbsmpro.com

February 19, 2026



19, Feb 2026

Embraco NEK6187Z compressor R134a 1/3 HP HBP commercial refrigeration replacement specifications technical data



## Embraco NEK6187Z Compressor | 1/3 HP | R134a | HBP | 220-240V 50Hz | POE Oil 380cc | Commercial Refrigeration

When you're dealing with [commercial refrigeration](#) equipment, finding the right compressor can make or break your system. The [Embraco NEK6187Z](#) is one of those workhorse compressors you'll find in plenty of beverage coolers, ice machines, and commercial display cases. Let's dive into what makes this compressor tick and everything you need to know about it.

## Technical Specifications Overview

Specification	Details
<b>Model</b>	NEK6187Z
<b>Brand</b>	Embraco/Aspera
<b>Utilisation (MBP/HBP/LBP)</b>	HBP (High Back Pressure) / MBP
<b>Domaine (Freezing/Cooling)</b>	Cooling ( <a href="#">Commercial Refrigeration</a> )
<b>Cooling Wattage at -23°C</b>	Approximately 480W
<b>Cubic Feet Capacity</b>	8-12 cubic feet
<b>Litres Capacity</b>	200-350 litres
<b>Kcal/h</b>	774 kcal/h (at +5°C evap)
<b>TON</b>	0.26 TR (approximate)
<b>Oil Type and Quantity</b>	<a href="#">POE Oil</a> 380cc (350-380ml)
<b>Horsepower (HP)</b>	1/3 HP
<b>Refrigerant Type</b>	R134a
<b>Power Supply</b>	220-240V ~ 50Hz, 1 Phase
<b>Cooling Capacity BTU</b>	3,340 BTU/h (at +5°C)
<b>Motor Type</b>	CSIR (Capacitor Start Inductor Run)
<b>Displacement</b>	10.0 cm <sup>3</sup> (9.99 cc)
<b>Winding Material</b>	Copper
<b>Pressure Charge</b>	Delivered with dry air (~1 bar) or light vacuum
<b>Capillary</b>	Capillary tube system
<b>Refrigerator Models</b>	Whirlpool K40 ice machines, commercial display cases, beverage coolers

Specification	Details
<b>Temperature Function</b>	-15°C to +10°C evaporating range
<b>With Fan or No</b>	Yes (fan cooling recommended – 520 m <sup>3</sup> /h)
<b>Commercial or No</b>	Yes – Commercial grade
<b>Amperage in Function</b>	Operating: ~1.3A, LRA: 16.1A
<b>LRA (Locked Rotor Amps)</b>	16.1A
<b>Type of Relay</b>	CSIR start relay required
<b>Capacitor</b>	Yes – Start capacitor required (starting device mandatory)
<b>Country of Origin</b>	Slovakia
<b>Exporting Countries</b>	Throughout Europe, Middle East, Asia-Pacific

## Cooling Capacity at Different Temperatures

The NEK6187Z performs differently depending on your evaporating temperature. Here's what you can expect

gastroparts.com:

### Evaporating Temperature   Cooling Capacity

-10°C	482 W
-5°C	624 W
0°C	791 W
+5°C	983 W
+10°C	1,201 W

## Efficiency Metrics (COP)

Understanding the Coefficient of Performance helps you gauge efficiency at

different operating conditions:

<b>Evaporating</b>	
<b>Temp (°C)</b>	<b>-30   -25   -23.3   -20   -15   -10   0   4   10</b>
<b>Cooling Capacity (Watts)</b>	280   380   420   480   580   688   900   1020   1200
<b>Power Consumption (Watts)</b>	320   340   350   365   390   420   480   520   580
<b>COP</b>	0.88   1.12   1.20   1.32   1.49   1.64   1.88   1.96   2.07

*Note: COP values calculated based on EN 12900 test conditions with condensing temperature at +54.4°C for HBP applications*

[www.hutes-klima-technika.hu](http://www.hutes-klima-technika.hu)

## Application Details

This compressor is built for **high back pressure (HBP)** applications, which means it's designed for warmer refrigeration tasks like:

- Beverage coolers
- Display cases
- Ice machines
- Wine coolers
- Commercial refrigerators

The unit features **high starting torque (HST)**, which is crucial for commercial applications where you might have hard starting conditions

[www.skh-kaeltetechnik.de](http://www.skh-kaeltetechnik.de). The [CSIR motor](#) design provides reliable performance, though it does require a starting device – the label clearly states "NO START WITHOUT STARTING DEVICE" for a reason

[crwltd.co.uk](http://crwltd.co.uk).

## Physical Characteristics

- **Connection Type:** Tube-to-tube connections
- **Suction Line:** 1/4" diameter
- **Height:** Approximately 200mm
- **Weight:** Around 11-12 kg

- **Terminal Type:** European standard terminal board

## Oil Information

---

The compressor uses **POE (Polyolester) oil** with a viscosity grade of POE 22. The oil charge is 380cc (though some sources indicate 350ml is acceptable)

[www.prokes-auto.com](http://www.prokes-auto.com). **POE oil** is hygroscopic, meaning it absorbs moisture from the air, so you need to work quickly during installation and keep the system sealed.

## Electrical Specifications

---

- **Voltage Range:** 220-240V, 50Hz (single phase)
- **Motor Protection:** Thermally protected (built-in overload)
- **Starting Current:** 16.1A maximum
- **Running Current:** Approximately 1.0-1.3A under normal conditions
- **Start Device:** External CSIR start relay and capacitor required

## Replacement Compressors

---

### Same Refrigerant (R134a) – Direct Replacements

---

1. **Embraco NEU6210Z** – 1/3 HP, R134a, HBP, similar displacement
2. **Embraco NE6187Z** – Previous generation, identical specs
3. **Secop/Danfoss SC12G** – 1/3 HP, 12.87cc, R134a, HBP/MBP  
[www.ebay.co.uk](http://www.ebay.co.uk)
4. **Secop/Danfoss TL3G** – Universal compressor, 1/3 HP equivalent, R134a  
[www.piecesfrigo.com](http://www.piecesfrigo.com)
5. **GMCC FH2711** – 10.8cc, R134a, HBP application manuals.plus

### Alternative Refrigerant Replacements

---

If you're considering converting to a different refrigerant:

1. **Embraco NEU6212Z (R290)** – Propane, similar capacity, requires system modification
2. **Embraco NLE11MN (R290)** – 1/2 HP equivalent, natural refrigerant  
[whufc.pl](http://whufc.pl)
3. **Secop SC15G (R600a)** – Isobutane, 1/3 HP class, requires different oil and charge [allairaircon.co.za](http://allairaircon.co.za)
4. **GMCC R600a 10cc series** – Direct displacement match, different refrigerant [refricompressor.com](http://refricompressor.com)

## 5. **Embraco FFI10HBX (R134a)** – Alternative R134a option, 1/3 HP

[www.ebay.com](http://www.ebay.com)

**Important:** Switching refrigerants isn't a simple swap. You'll need to change the oil type, adjust the charge, and possibly modify the capillary tube or expansion device. R290 and R600a are flammable refrigerants requiring special handling and certification.

## Common Applications

---

You'll find the NEK6187Z working in:

- **Whirlpool K40 ice machines** – This is a very common application  
[www.ascateringsupplies.com](http://www.ascateringsupplies.com)
- Commercial beverage dispensers
- Glass door display refrigerators
- Undercounter commercial fridges
- Hospitality refrigeration equipment
- Supermarket display cases (medium temperature)

## Installation Tips

---

1. **Always use a starting device** – The compressor won't start without the proper CSIR start relay and capacitor
2. **Fan cooling is recommended** – Use a fan with at least 520 m<sup>3</sup>/h airflow for optimal performance [www.kaeltetechnikshop.com](http://www.kaeltetechnikshop.com)
3. **Check oil level** – [POE oil](#) absorbs moisture quickly; minimize exposure time
4. **Evacuation** – Pull a good vacuum (500 microns or better) before charging
5. **Charge carefully** – Follow the equipment manufacturer's specifications

## Troubleshooting Common Issues

---

### Compressor won't start:

- Check start relay and capacitor (most common issue)
- Verify voltage at terminals
- Check thermal overload

### High amp draw:

- Check for restricted capillary tube
- Verify proper refrigerant charge

- Inspect condenser for dirt/restriction

### Low cooling capacity:

- Check for refrigerant leaks
- Inspect evaporator fan operation
- Verify proper door seals on equipment

## Where to Buy

---

These compressors are available through:

- HVAC/R wholesale distributors
- Online refrigeration parts suppliers
- Commercial equipment service companies
- Direct from Embraco authorized distributors

Pricing typically ranges from \$150-250 USD depending on your location and supplier

[hvacsparaparts.com](http://hvacsparaparts.com).

## Warranty and Support

---

Embraco compressors typically come with a 1-year warranty from the date of manufacture. Always keep your proof of purchase and verify the manufacturing date code before installation.

## Focus Keyphrase

---

[Embraco NEK6187Z](#) compressor R134a 1/3 HP HBP [commercial refrigeration](#) replacement specifications technical data

## SEO Title

---

[Embraco NEK6187Z](#) Compressor | 1/3 HP R134a HBP | Full Specs & Replacements | [MBSM](#).pro

## Meta Description

---

Complete technical guide for [Embraco NEK6187Z](#) compressor: 1/3 HP, R134a, HBP, 220-240V 50Hz. Cooling capacity, COP values, replacement options, installation tips. [Commercial refrigeration](#) specs.

## Slug

---

embraco-nek6187z-compressor-r134a-1-3-hp-hbp-specifications-replacements

## Tags

---

[Embraco NEK6187Z](#), [R134a compressor](#), [1/3 HP compressor](#), [HBP compressor](#), [commercial refrigeration](#), [CSIR motor](#), [POE oil](#), [NEK6187Z replacement](#), [Secop SC12G](#), [Danfoss compressor](#), [GMCC compressor](#), [R290 compressor](#), [R600a replacement](#), [beverage cooler compressor](#), [ice machine compressor](#), [Mbsmgroup](#), [Mbsm.pro](#), [mbsmpro.com](#), [mbsm](#), [NEK6187Z-A](#), [NE6187Z](#), [NEU6210Z](#), [NEU6212Z](#), [TL3G](#), [SC12GX](#), [compressor replacement R134a](#), [HBP refrigeration](#), [commercial fridge compressor](#)

## Excerpt (First 55 words)

---

When you're dealing with [commercial refrigeration](#) equipment, finding the right compressor can make or break your system. The [Embraco NEK6187Z](#) is one of those workhorse compressors you'll find in plenty of beverage coolers, ice machines, and commercial display cases. Let's dive into what makes this compressor tick.



[1/3 HP Compressor](#), [beverage cooler compressor](#), [commercial refrigeration](#), [compressor replacement R134a](#), [CSIR motor](#), [Danfoss compressor](#), [Embraco NEK6187Z](#), [GMCC compressor](#), [HBP compressor](#), [HBP refrigeration](#), [ice machine compressor](#), [mbsm](#), [mbsm.pro](#), [mbsmgroup](#), [mbsmpro.com](#), [NE6187Z](#), [NEK6187Z replacement](#), [NEK6187Z-A](#), [NEU6210Z](#), [NEU6212Z](#), [POE oil](#), [R134a compressor](#), [R290 compressor](#), [R600a replacement](#), [SC12GX](#), [Secop SC12G](#), [TL3G](#)

[Open Static HTML \(Offline Version\)](#)

## Mbsmpro Google link tools

---

- [Google: this title](#)
- [Google: all site pages](#)
- [Google: domain mentions](#)
- [RSS Feed](#)
- [Sitemap](#)
- [Sitemap Html](#)
- [Html Page](#)
- [Upload Page](#)
- [Sitemap Media](#)

Tags: [1/3 HP Compressor](#), [beverage cooler compressor](#), [commercial refrigeration](#), [compressor replacement R134a](#), [CSIR motor](#), [Danfoss compressor](#), [Embraco NEK6187Z](#), [GMCC compressor](#), [HBP compressor](#), [HBP refrigeration](#), [ice machine compressor](#), [mbsm](#), [mbsm.pro](#), [mbsmgroup](#), [mbsmpro.com](#), [NE6187Z](#), [NEK6187Z replacement](#), [NEK6187Z-A](#), [NEU6210Z](#), [NEU6212Z](#), [POE oil](#), [R134a compressor](#), [R290 compressor](#), [R600a replacement](#), [SC12GX](#), [Secop SC12G](#), [TL3G](#)

## Related Posts

---

### [Embraco EGAS70HLC Compressor](#)

The Embraco EGAS70HLC stands out as a reliable hermetic piston compressor designed for low back pressure (LBP) applications using R134a...

### [ZMC GL80AF R134a Hermetic Compressor](#)

ZMC GL80AF R134a 1/5 HP hermetic refrigerator compressor technical data and applications Mbsmgroup Mbsm.pro mbsmpro.com mbsm.

### [Donper LG83WZ1 Refrigeration Compressor Technical Specifications and R134a Replacement Guide for Unionaire refrigerator](#)

The Donper LG83WZ1 stands as a cornerstone in modern domestic and light commercial refrigeration. Engineered for Low Back Pressure applications,...

### [Gas Charging or Vacuuming](#)

The copper tube assembly shown is a service charging valve on the liquid line of a small hermetic refrigeration unit....

### [Siberia GFF57AA Compressor](#)

The Siberia GFF57AA is a high-performance 1/5 HP hermetic reciprocating compressor designed for Low Back Pressure (LBP) applications. Utilizing R134a...

### [Jiaxipera TT1114GY R600a compressor technical specifications and high-efficiency](#)

[replacement guide for professional HVAC technicians](#)

The Jaxipera TT1114GY is a cornerstone of modern eco-friendly refrigeration, utilizing R600a isobutane to deliver high-efficiency cooling in household appliances....