

Compressor, Matsushita, D77C18RAX5, 1/4 hp, Panasonic

Site: Mbsmpro

Date: January 18, 2026 | **Author:** www.mbsmpro.com

URL: <https://mbsmpro.com/compressor-matsushita-d77c18rax5-1-4-hp-panasonic/>



Mbsmpro.com, Compressor, Matsushita, D77C18RAX5, 1/4 hp, Panasonic, Cooling, R134a, 195 W, 1.4 A, 1Ph 220V 50Hz, LBP, RSIR, -35°C to -10°C, Household Refrigerator

The refrigeration industry has seen many legends, but few names carry as much weight in the workshop as Matsushita—the manufacturing powerhouse now known globally as Panasonic. Among their most reliable

workhorses is the D77C18RAX5 compressor. This hermetic reciprocating unit has been the backbone of thousands of residential refrigerators and commercial chest freezers, prized for its “set it and forget it” reliability.

Engineering Excellence: The D77C18RAX5 Architecture

The D77C18RAX5 is a Low Back Pressure (LBP) compressor designed specifically to handle the rigors of deep freezing and standard refrigeration. Built in Malaysia under strict quality controls, this model utilizes a 7.7cc displacement to move R134a refrigerant efficiently through the system.

From an engineering perspective, the “D77” series is celebrated for its high volumetric efficiency and robust thermal protection. Unlike modern inverter compressors that require complex electronic control boards, the D77C18RAX5 relies on a tried-and-true RSIR (Resistive Start, Inductive Run) motor. This makes it exceptionally resilient to voltage fluctuations often found in older residential grids.

Technical Specifications Table

Feature	Specification
Model	D77C18RAX5
Manufacturer	Matsushita (Panasonic)
Refrigerant Type	R134a
Horsepower (HP)	1/4 HP
Displacement	7.7 cm ³
Voltage/Frequency	220-240V / 50Hz
Application Range	Low Back Pressure (LBP)

Cooling Capacity	195 Watts (Approx. 665 BTU/h)
Motor Type	RSIR
Starting Current (LRA)	11.5 A
Running Current	1.3 - 1.5 A
Oil Type	POE (Polyolester)
Cooling Method	Static (Natural Convection)

Performance Comparison: R134a vs. R600a Variants

In the modern landscape, there is a push toward R600a (isobutane). However, the D77C18RAX5 remains a critical component for repairs because of its specific pressure-temperature relationship. When compared to an R600a equivalent, the D77 series offers higher mass flow rates, which is essential for older cabinet designs with smaller evaporator surface areas.

Metric	Matsushita D77C18RAX5 (R134a)	Typical R600a 1/4 HP Equivalent
Displacement	7.7cc	11.0cc to 12.0cc
Pressure Levels	Higher Discharge Pressures	Lower (Vacuum-prone)
Reliability	Proven 15-20 year lifespan	High (but sensitive to moisture)
Lubrication	POE Oil (Hygroscopic)	Mineral Oil

Expert Insight: Field Service Tips

When replacing this unit, field technicians must prioritize the evacuation process. Since the D77C18RAX5 uses POE oil, any moisture left in the

system can react to form acids that eat away at the motor windings.

1. **Always replace the Filter Drier:** Never install a new D77 without a fresh XH-9 or universal drier.
 2. **Verify the Capacitor:** While most are RSIR, some variations use a starting capacitor to assist in high-ambient starts. Check the relay housing before installation.
 3. **Heat Management:** Ensure the condenser coils are cleaned. The D77 is thermally protected, but frequent cycling due to heat buildup will eventually degrade the internal valves.
-

Detailed Compressor Data Sheet

Model	D77C18RAX5
Utilisation (mbp/hbp/lbp)	LBP
Domaine (Freezing/Cooling)	Domestic Freezing / Refrigerator Cooling
Oil Type and quantity	POE 230ml
Horsepower (HP)	1/4 HP
Refrigerant Type	R134a
Power Supply	220V-240V ~ 50Hz
Cooling Capacity BTU	665 BTU/h
Motor Type	RSIR
Displacement	7.7 cc

Winding Material	Copper
Pression Charge	Low side: 0.5 - 2 PSI (Running)
Capillary	0.031" or 0.036" (Length varies by
Recommendation	cabinet)
Modele Frigo	Fits National, Panasonic, and Samsung Older Models
Temperature function	-35°C to -10°C
With fan or no	Static cooling (No fan required for compressor)
Commercial or no	Light Commercial / Domestic
Amperage in function	1.4 A
LRA (Locked Rotor Amps)	11.5 A
Type of relay	PTC Relay
Capacitor	Generally None (Option for Start Cap exists)
5 Replacement (Same Gas)	Embraco EG70HLR, Secop TLES7.5KK.3, Donper QD75, LG MA72LAEG, ACC GVY75AA
5 Replacement (Other Gas)	Secop TLY8.7KK (R600a), Embraco EMX70CLC (R600a), Cubigel GL80AA (R134a/R600a conversion), Jiaxipera NT1114Y, Nidec TT1114GY

Benefits of the D77C18RAX5

- **Thermal Protection:** Built-in overload protector prevents motor burnout during brownouts.
- **Low Vibration:** The internal spring mounting system is designed for ultra-quiet household operation.
- **Global Standard:** Parts like relays and overloads are universally available, making maintenance simple anywhere in the world.

Engineering Notice: If you find this compressor running hot but not cooling, check the discharge pressure. These units are extremely durable, but if the valves are bypassed due to liquid slugging, the efficiency drops significantly. Always ensure the refrigerant charge is weighed in according to the appliance nameplate.

Focus Keyword: Matsushita D77C18RAX5 Compressor 1/4 HP R134a Specifications and Replacement Guide

SEO Title: Mbsm.pro - Matsushita D77C18RAX5 Compressor | 1/4 HP | R134a | LBP Specs

Meta Description: Discover the technical specifications of the Matsushita D77C18RAX5 compressor. A professional guide to 1/4 HP R134a cooling capacity, amperage, and reliable replacements.

Slug: matsushita-d77c18rax5-compressor-1-4-hp-r134a-specs

Tags: Mbsmgroup, Mbsm.pro, mbsmpro.com, mbsm, Matsushita, Panasonic, D77C18RAX5, 1/4 HP, R134a, LBP, Refrigerator Compressor, EG70HLR replacement, QD75 replacement, TLES7.5KK.3 replacement,

MA72LAEG replacement, GVY75AA replacement.

Excerpt: The Matsushita D77C18RAX5 is a legendary 1/4 HP refrigerator compressor optimized for R134a refrigerant. Known for its robust RSIR motor and 7.7cc displacement, it delivers 195W of cooling power for domestic freezers and refrigerators. This guide provides full technical data, wiring details, and the best professional cross-reference replacements for modern refrigeration repair.



Compressor, Matsushita, D77C18RAX5, 1/4 hp, Panasonic
mbsmpro

[mbsm.pro-Mbsmpro Compressor D77C18RAX5 RSIR 14 Hp D Series r134a LBP 186 W Toshiba Refrigerator 14 Feet GR-EFDownload](#)

Latest Articles

- [Guide de Dépannage de la Carte Inverter : Climatiseur Kolin KSM-IW20WAE](#)

- RCFF-2HP Capillary Tube for a Samsung 18000 BTU air conditioner
- Carbon brushes washing machine motors
- Chauffe-eau Junkers : Restauration d'un Classique
- WS57H Compressor, 1/6 hp, Capacitor Requirement 4mf
- Hisense inverter expert, installtion
- Copeland D3DS5-100X 10 HP Freezer Compressor
- Bitzer 6G-30.2Y: The High-Performance 30 HP Semi-Hermetic
- Réparer un chauffe-eau à gaz Olympic 6L
- Best piping practices for semi-hermetic systems
- Core ChauffeEau Junkers Mid-1980s to Late 1990s
- Not recommended R410A to R407c
- Details of refrigerant R134a
- The electrical circuit for a timer-based steam refrigerator is an interesting one
- Changing Filter 1/5 Hp
- 1/5 HP Compressor oil change: How much and how to do it right
- Deep cleaning AC units from A to Z... that's our craft
- Plumbing Fittings Explained
- Can the GL80 compressor be installed in place of the GL90?
- The process of replacing the air conditioner compressor is successful, and it is working as it was before ?