

# How many cubic feet can LJ118CY1 compressor cooling ?

**Site:** Mbsmpro

**Date:** January 31, 2026 | **Author:** www.mbsmpro.com

**URL:** <https://mbsmpro.com/how-many-cubic-feet-can-lj118cy1-compressor-cooling/>



The motor shown in the image is a Donper brand, model LJ118CY1. This motor uses R600a (isobutane) refrigerant.

Based on its power output, this motor is approximately 1/4 horsepower (or 1/4+ horsepower with good thrust), and is very suitable for use in household refrigerators ranging from 14 to 16 cubic feet (approximately 320 to 450 liters), depending on the insulation efficiency and circuit design.

Donper is a leading and highly respected Chinese brand in the global market, and major companies use it in their original production lines because it combines quiet operation with low energy consumption.

## Technical Specification Table

<b>Attribute</b>	<b>Specification</b>
<b>Model</b>	LJ118CY1
<b>Utilisation</b>	LBP (Low Back Pressure)
<b>Domaine</b>	Freezing / Cooling
<b>Cooling Wattage at - 23.3°C</b>	198 W
<b>Kcal/h</b>	170 Kcal/h
<b>Oil Type and Quantity</b>	Mineral / POE (approx. 180-200ml)
<b>Horsepower (HP)</b>	1/4 HP
<b>Refrigerant Type</b>	R600a
<b>Power Supply</b>	220-240V ~ 50Hz, 1Ph
<b>Cooling Capacity BTU</b>	675 BTU/h
<b>Motor Type</b>	RSCR / RSIR

<b>Attribute</b>	<b>Specification</b>
<b>Displacement</b>	11.8 cm <sup>3</sup>
<b>Winding Material</b>	Copper
<b>Pressure Charge</b>	Low Pressure (Suction)
<b>Capillary</b>	0.031 - 0.036 inch (Depends on
<b>Recommendation</b>	length)
<b>Refrigerator Size</b>	14 to 16 Feet (Domestic)
<b>Temperature Function</b>	-35°C to -15°C
<b>Fan Requirement</b>	Static Cooling (No fan required for compressor)
<b>Commercial Use</b>	No (Mainly Domestic)
<b>Amperage (RLA)</b>	0.9 A - 1.2 A
<b>LRA (Locked Rotor Amps)</b>	6.5 A
<b>Type of Relay</b>	PTC Relay
<b>Capacitor</b>	4μF - 5μF (Optional depending on version)
<b>Country of Origin</b>	China (Donper Group)

---

## **Compressor Replacements**

### **5 Replacements (Same Gas R600a):**

1. **Embraco:** EMX70CLC
2. **Secop (Danfoss):** NLE11KK.4
3. **Jiaxipera:** NT1114Y
4. **Huayi:** HYB115MHU

5. **LG:** CMA069LHEM

**5 Replacements (Other Gas R134a - Requires system flush and oil change):**

1. **Embraco:** FFI 7.5HAK
  2. **Secop:** TLES7.5KK.3
  3. **ZMC:** GM80AF
  4. **Donper:** LU118CY (R134a version)
  5. **Panasonic:** QB77C16GPX5
- 

**Mbsmpro.com, Compressor, LJ118CY1, 1/4 hp, Donper, Cooling, R600a, 198 W, 1.1 A, 1Ph 220-240V 50Hz, LBP, RSCR, -35°C to -15°C**

The LJ118CY1 stands as a high-efficiency hermetic reciprocating compressor specifically engineered for domestic refrigeration. Developed by Donper, a global leader in cooling technology, this model is optimized for R600a refrigerant, ensuring a minimal environmental footprint while delivering robust thermal performance.

**Efficiency and Performance Metrics**

The LJ118CY1 is designed for Low Back Pressure (LBP) applications. Its displacement of 11.8cc allows it to reach deep freezing temperatures quickly, making it ideal for large refrigerators and domestic upright freezers.

**Performance Data Table (ASHRAE Conditions)**

<b>Evaporating Temp (°C)</b>	<b>Cooling Capacity (Watts)</b>	<b>Power Consumption (Watts)</b>	<b>COP (W/W)</b>
-30	145	112	1.29
-25	185	128	1.45
<b>-23.3</b>	<b>198</b>	<b>134</b>	<b>1.48</b>
-20	235	145	1.62
-15	290	162	1.79
-10	360	180	2.00

### **Comparison: Donper LJ118CY1 vs. Standard 1/5 HP Units**

When comparing this unit to a standard 1/5 HP compressor (like the GM70AZ), the LJ118CY1 offers a significantly higher displacement ( $11.8 \text{ cm}^3$  vs  $7.0 \text{ cm}^3$ ). This extra “lung capacity” allows the refrigerator to recover its temperature faster after the door has been opened frequently, which is vital in warmer climates.

### **Technical Advice and Installation Benefits**

- **Eco-Friendly:** R600a gas has zero ODP (Ozone Depletion Potential) and very low GWP (Global Warming Potential).
- **Low Noise:** The LJ118CY1 is known for its dampened vibration levels, making it suitable for modern open-plan kitchens.
- **Maintenance:** Always ensure the condenser is clean. Because R600a operates at lower pressures, even a slight blockage can cause a noticeable drop in COP (Coefficient of Performance).

**Expert Notice:** When replacing a compressor with the LJ118CY1, ensure the vacuum process is thorough. R600a systems are highly sensitive to moisture and non-condensable gases.

---

**Focus Keyword:** Donper LJ118CY1 Compressor 1/4 HP R600a Specifications

**SEO Title:** Mbsm.pro - Donper LJ118CY1 Compressor: 1/4 HP, R600a, Full Technical Specs

**Meta Description:** Discover the complete technical specifications for the Donper LJ118CY1 compressor. Learn about its 1/4 HP capacity, R600a efficiency, cooling wattage, and the best replacements for refrigerators.

**Slug:** donper-lj118cy1-compressor-1-4-hp-r600a-specs

**Tags:** LJ118CY1, Donper, 1/4 HP Compressor, R600a, Mbsmgroup, Mbsm.pro, mbsmpro.com, mbsm, Refrigerator Repair, EMX70CLC Replacement, NLE11KK.4, Jiaxipera NT1114Y, Cooling Capacity, LBP Compressor.

**Excerpt:** The Donper LJ118CY1 is a high-performance 1/4 HP hermetic compressor designed for domestic refrigerators using R600a refrigerant. Known for its efficiency and quiet operation, it features a displacement of 11.8cc and a cooling capacity of 198W at -23.3°C. This article provides technical details, wiring diagrams, and compatible replacement models for professional technicians.



How many cubic feet can LJ118CY1 compressor cool? mbsmpro

[mbsmpro.com-How many cubic feet can LJ118CY1 compressor cooling](#)

[Download](#)

## Latest Articles

- [Guide de Dépannage de la Carte Inverter : Climatiseur Kolin KSM-IW20WAE](#)
- [RCFF-2HP Capillary Tube for a Samsung 18000 BTU air conditioner](#)
- [Carbon brushes washing machine motors](#)
- [Chauffe-eau Junkers : Restauration d'un Classique](#)
- [WS57H Compressor, 1/6 hp, Capacitor Requirement 4mf](#)
- [Hisense inverter expert, installtion](#)
- [Copeland D3DS5-100X 10 HP Freezer Compressor](#)
- [Bitzer 6G-30.2Y: The High-Performance 30 HP Semi-Hermetic](#)
- [Réparer un chauffe-eau à gaz Olympic 6L](#)
- [Best piping practices for semi-hermetic systems](#)
- [Core ChauffeEau Junkers Mid-1980s to Late 1990s](#)
- [Not recommended R410A to R407c](#)
- [Details of refrigerant R134a](#)
- [The electrical circuit for a timer-based steam refrigerator is an interesting one](#)
- [Changing Filter 1/5 Hp](#)
- [1/5 HP Compressor oil change: How much and how to do it right](#)
- [Deep cleaning AC units from A to Z... that's our craft](#)
- [Plumbing Fittings Explained](#)
- [Can the GL80 compressor be installed in place of the GL90?](#)

- The process of replacing the air conditioner compressor is successful, and it is working as it was before ?