

# Technical Analysis of High-Performance Hermetic Compressors: GQY80AT and ATA72XL

**Site:** Mbsmpro

**Date:** February 2, 2026 | **Author:** www.mbsmpro.com

**URL:** <https://mbsmpro.com/technical-analysis-of-high-performance-hermetic-compressors-gqy80at-and-ata72xl/>



Mbsmpro.com, Compressor, GQY80AT vs ATA72XL, 1/4 hp - 1/5 hp, ZEL, Huaguang, R134a, Cooling, 220V, LBP, Refrigerator Repair

---

## Technical Analysis of High-Performance Hermetic Compressors: GQY80AT and ATA72XL

In the world of refrigeration maintenance and professional appliance repair, choosing the right compressor is the difference between a long-lasting fix and a premature system failure. Today, we are diving deep into the technical specifications of two widely used units in the industry: the **ZEL GQY80AT** and the **Huaguang ATA72XL**. Both are designed for R134a refrigerant but serve slightly different cooling capacities and applications.

The **GQY80AT**, manufactured by Zanussi Elettromeccanica (ZEL), has long been a staple in European-designed domestic freezers and large refrigerators. It is a robust 1/4 HP unit known for its high starting torque and reliability in fluctuating voltage environments. On the other hand, the **Huaguang ATA72XL** is a highly efficient 1/5 HP+ (often treated as a strong 1/5 or light 1/4) compressor from the Wanbao Group. It is frequently seen in modern energy-efficient refrigerators where low noise and high Coefficient of Performance (COP) are prioritized.

## Technical Specification Table

Model	ZEL GQY80AT	Huaguang ATA72XL
Utilization	LBP (Low Back Pressure)	LBP (Low Back Pressure)
Domaine	Freezing / Cooling	Freezing / Cooling
Cooling Wattage (-23.3°C)	198 W	185 W
Cubic Feet Capacity	12 - 16 cu.ft.	10 - 14 cu.ft.

<b>Model</b>	<b>ZEL GQY80AT</b>	<b>Huaguang ATA72XL</b>
<b>Liters Capacity</b>	350 - 450 L	280 - 400 L
<b>Kcal/h</b>	170 kcal/h	159 kcal/h
<b>Oil Type &amp; Quantity</b>	POE (Ester) / 200ml	POE (Ester) / 180ml
<b>Horsepower (HP)</b>	1/4 HP	1/5 HP+
<b>Refrigerant Type</b>	R134a	R134a
<b>Power Supply</b>	200-220V / 50Hz	220-240V / 50- 60Hz
<b>Cooling Capacity (BTU)</b>	676 BTU/h	631 BTU/h
<b>Motor Type</b>	RSIR / RSCR	RSIR
<b>Displacement</b>	8.1 cm <sup>3</sup>	7.2 cm <sup>3</sup>
<b>Winding Material</b>	Copper	Copper
<b>Pressure Charge</b>	0.5 - 0.8 Bar (Running)	0.4 - 0.7 Bar (Running)
<b>Capillary Size</b>	0.031" / 3.0m	0.028" / 3.0m
<b>Temperature Function</b>	-35°C to -10°C	-30°C to -10°C
<b>Cooling Method</b>	Static (No Fan)	Static (No Fan)
<b>Commercial Use</b>	Light Commercial/Domestic	Domestic
<b>Amperage (FLA)</b>	1.3 A	1.1 A
<b>LRA (Locked Rotor)</b>	12 A	10 A

<b>Model</b>	<b>ZEL GQY80AT</b>	<b>Huaguang ATA72XL</b>
<b>Relay Type</b>	PTC	PTC
<b>Capacitor</b>	Optional (4-5uF)	No
<b>Origin</b>	China (Zanussi Tech)	China (Wanbao)

---

## Efficiency Metrics (COP) Performance Data

<b>Evaporating Temp (°C)</b>	<b>Cooling Capacity (Watts)</b>	<b>Power Consumption (Watts)</b>	<b>COP (W/W)</b>
-30	145	125	1.16
-25	182	148	1.23
-23.3 (Standard)	198	155	1.27
-20	235	170	1.38
-15	305	195	1.56
-10	390	220	1.77

---

## Professional Replacement Guide

When the original unit is no longer available, these replacements offer the same displacement and cooling curve characteristics.

### 5 Direct Replacements (R134a Gas)

1. **Embraco FFI7.5HAK:** A heavy-duty 1/4 HP equivalent with high reliability.

2. **Secop (Danfoss) TLES7F:** Excellent efficiency for domestic LBP applications.
3. **LG MA72LAEP:** A very quiet alternative with similar mounting footprints.
4. **Tecumseh THG1365YS:** Known for high tolerance to high ambient temperatures.
5. **Samsung NC44A94ALH:** A compact but powerful alternative.

## 5 Alternative Replacements (R600a Gas Conversion)

*Note: Converting to R600a requires a complete system flush and a dedicated R600a capillary/filter.*

1. **Secop TLES7.5KK.4:** The industry standard for R600a 1/4 HP swaps.
2. **Embraco EMX70CLC:** High COP unit for energy-conscious repairs.
3. **Jiaxipera NT1114Y:** Widely used in modern inverter-to-fixed-speed conversions.
4. **Donper LU72CZ1:** A budget-friendly R600a unit with stable performance.
5. **Wanbao ATA72XL (R600a Version):** The direct isobaric sibling of the R134a model.

---

## Expert Engineering Insights & Tips

When installing these compressors, pay close attention to the **displacement differences**. The GQY80AT (8.1cc) is slightly more powerful than the ATA72XL (7.2cc). If you are replacing a ZEL with a Huaguang, the cooling might be slightly slower in a large chest freezer. Conversely, using a ZEL to replace a Huaguang may result in shorter cycle

times, which can lead to higher wear on the relay if not monitored.

### **Technician's Checklist:**

- **Triple Vacuum:** Always pull down to 500 microns to ensure all moisture is removed from the POE oil.
  - **Filter Drier:** Never reuse a filter. Always install a new 20g or 30g XH-9 molecular sieve drier.
  - **Winding Check:** Before brazing, verify the Common, Start, and Main terminals. The GQY80AT has a standard triangular pin configuration.
  - **Heat Dissipation:** Ensure the condenser coils are cleaned. These static-cooled compressors rely heavily on natural convection or the external cabinet skin for heat exchange.
- 

**Focus Keyword:** ZEL GQY80AT and Huaguang ATA72XL Compressor Specifications and Replacement Guide

**SEO Title:** Mbsmpro.com, Compressor, GQY80AT, ATA72XL, 1/4 HP, R134a, Technical Data

**Meta Description:** Detailed technical analysis of ZEL GQY80AT and Huaguang ATA72XL compressors. Includes BTU, wattage, cooling capacity, and 10 professional replacement models for R134a and R600a. Perfect for refrigeration engineers and professional technicians.

**Slug:** zel-gqy80at-huaguang-ata72xl-compressor-specs-replacement

**Tags:** Mbsmgroup, Mbsm.pro, mbsmpro.com, mbsm, ZEL, GQY80AT, Huaguang, ATA72XL, R134a, 1/4 HP, 1/5 HP, Embraco FFI7.5HAK, Secop TLES7F, LG MA72LAEP, Tecumseh THG1365YS, Refrigeration Repair, Compressor Replacement, LBP Compressor

**Excerpt:** Choosing between the ZEL GQY80AT and Huaguang ATA72XL requires a deep understanding of displacement and cooling wattage. This professional guide breaks down the 198W capacity of the GQY80AT versus the 185W of the ATA72XL, providing essential data for technicians, including oil types, motor configurations, and a comprehensive list of cross-compatible replacement models.



1/4 HP, 1/5 hp, ATA72XL, Compressor Replacement, Embraco FFI7.5HAK, GQY80AT, Huaguang, LG MA72LAEP, mbsm, mbsm.pro, mbsmgroup, mbsmpro.com, R134a, Refrigeration Repair, Secop TLES7F, Tecumseh THG1365YS, ZEL



1/4 HP, 1/5 hp, ATA72XL, Compressor Replacement, Embraco FFI7.5HAK, GQY80AT, Huaguang, LG

MA72LAEP, mbsm, mbsm.pro, mbsmgroup,  
mbsmpro.com, R134a, Refrigeration Repair, Secop  
TLES7F, Tecumseh THG1365YS, ZEL

[mbsmpro.com-Technical Analysis of High-Performance Hermetic Compressors GQY80AT and ATA72XLDownload](#)

## Latest Articles

- [Guide de Dépannage de la Carte Inverter : Climatiseur Kolin KSM-IW20WAE](#)
- [RCFF-2HP Capillary Tube for a Samsung 18000 BTU air conditioner](#)
- [Carbon brushes washing machine motors](#)
- [Chauffe-eau Junkers : Restauration d'un Classique](#)
- [WS57H Compressor, 1/6 hp, Capacitor Requirement 4mf](#)
- [Hisense inverter expert, installtion](#)
- [Copeland D3DS5-100X 10 HP Freezer Compressor](#)
- [Bitzer 6G-30.2Y: The High-Performance 30 HP Semi-Hermetic](#)
- [Réparer un chauffe-eau à gaz Olympic 6L](#)
- [Best piping practices for semi-hermetic systems](#)
- [Core ChauffeEau Junkers Mid-1980s to Late 1990s](#)
- [Not recommended R410A to R407c](#)
- [Details of refrigerant R134a](#)
- [The electrical circuit for a timer-based steam refrigerator is an interesting one](#)
- [Changing Filter 1/5 Hp](#)
- [1/5 HP Compressor oil change: How much and how to do it right](#)
- [Deep cleaning AC units from A to Z... that's our craft](#)
- [Plumbing Fittings Explained](#)

- Can the GL80 compressor be installed in place of the GL90?
- The process of replacing the air conditioner compressor is successful, and it is working as it was before ?