

1N4728, 1N4729, 1N4730, 1N4731, 1N4732, 1N4733, 1N4734, 1N4735, 1N4736, 1N4737, Zener diode

Site: Mbsmpro

Date: January 5, 2026 | **Author:** www.mbsmpro.com

URL: <https://mbsmpro.com/1n4728-1n4729-1n4730-1n4731-1n4732-1n4733-1n4734-1n4735-1n4736-1n4737-zener-diode/>

Voltage of Zener Diode

1N728A 3.3V



1N733A 5.1V



1N729A 3.6V



1N734A 5.6V



1N730A 3.9V



1N735A 6.2V



1N731A 4.3V



1N736A 6.8V



1N732A 4.7V



1N737A 7.5V



Focus Keyphrase

1N4728 to 1N4737 Zener Diode Voltages 3.3V-7.5V (47 characters)

SEO Title

1N4728A-1N4737A Zener Diodes Voltages Chart | Mbsmpro.com
3.3V to 7.5V 1W

Meta Description

Discover precise **Zener voltages** for **1N4728 (3.3V)** to **1N4737 (7.5V)** diodes. Full specs, comparisons, and datasheets for voltage regulation. Essential guide from Mbsmpro.com for electronics pros. (148 characters)

Voltage of Zener Diode

1N728A 3.3V



1N733A 5.1V



1N729A 3.6V



1N734A 5.6V



1N730A 3.9V



1N735A 6.2V



1N731A 4.3V



1N736A 6.8V



1N732A 4.7V



1N737A 7.5V



Slug

1n4728-1n4737-zener-diode-voltages-chart-3-3v-7-5v

Tags

1N4728, 1N4729, 1N4730, 1N4731, 1N4732, 1N4733, 1N4734, 1N4735,

1N4736, 1N4737, Zener diode, voltage reference, 1W Zener, DO-41 package, electronics components, voltage regulator, Mbsmgroup, Mbsm.pro, mbsmpro.com, mbsm

Excerpt (first 55 words)

Zener diodes like the **1N4728A thru 1N4737A** series deliver reliable voltage regulation from **3.3V to 7.5V** at 1W power. Engineers rely on these for stabilizing circuits in power supplies and protection setups. Check the full voltage chart and specs below for your next project. (55 words)

1N4728A to 1N4737A Zener Diodes: Voltages, Specs & Comparisons | Mbsmpro.com

Technicians and engineers turn to the **1N47xxA series Zener diodes** for precise voltage clamping in everything from power supplies to signal protection. These 1-watt components handle breakdowns from **3.3 volts up to 7.5 volts**, making them staples in low-voltage regulation tasks. Built in the rugged DO-41 glass package, they withstand industrial demands while keeping costs down

Complete Voltage Chart

This table lists the **nominal Zener voltages** straight from manufacturer specs, matching common references for quick selection. Tolerance stays at $\pm 5\%$ across the board.

Part Number	Zener Voltage (Vz)	Test Current (IzT)	Max Zener Impedance (Zz)	Max Power (Pd)
1N4728A	3.3V	76 mA	10 Ω	1W
1N4729A	3.6V	69 mA	10 Ω	1W
1N4730A	3.9V	64 mA	9 Ω	1W
1N4731A	4.3V	58 mA	9 Ω	1W
1N4732A	4.7V	53 mA	9 Ω	1W
1N4733A	5.1V	49 mA	9 Ω	1W
1N4734A	5.6V	45 mA	9 Ω	1W
1N4735A	6.2V	41 mA	10 Ω	1W
1N4736A	6.8V	37 mA	10 Ω	1W
1N4737A	7.5V	34 mA	15 Ω	1W

Key Specifications Breakdown

All models share a **1-watt power dissipation** at 50°C ambient, forward voltage under 1.2V at 200mA, and operation up to 200°C junction temperature. Reverse leakage stays low, under 100µA at 1V, ensuring stability in sensitive apps. The glass DO-41 case measures about 5mm long with axial leads for easy PCB mounting.

Comparisons with 0.5W Series

Higher power like these **1N47xxA diodes** beats smaller 0.5W options such as **1N52xxB** for demanding loads—think 1W vs. half that capacity without heatsinking. For instance, **1N5231B (5.1V 0.5W)** leaks more under heat

and derates faster above 75°C. Use 1W versions in converters or regulators where reliability counts over board space.

Feature	1N47xxA (1W)	1N52xxB (0.5W)
Power Rating	1W @ 50°C	0.5W @ 75°C
Package	DO-41	DO-35 (smaller)
Vz Example 5.1V	1N4733A, 49mA Iz	1N5231B, 20mA Iz
Max Temp	200°C	200°C
Best For	High-current regulation Low-power signals	

Value Comparisons Across Voltages

Lower voltages like **1N4728A 3.3V** offer higher test currents (76mA) for sharper knee characteristics, ideal for 3-5V logic rails. Higher ones like **1N4737A 7.5V** suit battery charging or 12V drops, but impedance climbs to 15Ω—limiting dynamic response. Prices hover at \$0.05-\$0.15 per unit in bulk, with 5.1V (1N4733A) most common for USB/5V apps.

Voltage Range	Example Part	IzT (mA)	Zz (Ω)	Bulk Price (est.)
3.3-4.3V	1N4728A- 1N4731A	58-76	9-10	\$0.05
4.7-5.6V	1N4732A- 1N4734A	45-53	9	\$0.07
6.2-7.5V	1N4735A- 1N4737A	34-41	10-15	\$0.10

Grab datasheets for full curves and stock these at Mbsmpro.com for your HVAC controls or refrigeration boards—they pair great with compressors needing stable rails.

[1n4728aDownload](#)

Latest Articles

- [Guide de Dépannage de la Carte Inverter : Climatiseur Kolin KSM-IW20WAE](#)
- [RCFF-2HP Capillary Tube for a Samsung 18000 BTU air conditioner](#)
- [Carbon brushes washing machine motors](#)
- [Chauffe-eau Junkers : Restauration d'un Classique](#)
- [WS57H Compressor, 1/6 hp, Capacitor Requirement 4mf](#)
- [Hisense inverter expert, installtion](#)
- [Copeland D3DS5-100X 10 HP Freezer Compressor](#)
- [Bitzer 6G-30.2Y: The High-Performance 30 HP Semi-Hermetic](#)
- [Réparer un chauffe-eau à gaz Olympic 6L](#)
- [Best piping practices for semi-hermetic systems](#)
- [Core ChauffeEau Junkers Mid-1980s to Late 1990s](#)
- [Not recommended R410A to R407c](#)
- [Details of refrigerant R134a](#)
- [The electrical circuit for a timer-based steam refrigerator is an interesting one](#)
- [Changing Filter 1/5 Hp](#)
- [1/5 HP Compressor oil change: How much and how to do it right](#)
- [Deep cleaning AC units from A to Z... that's our craft](#)
- [Plumbing Fittings Explained](#)
- [Can the GL80 compressor be installed in place of the GL90?](#)

- The process of replacing the air conditioner compressor is successful, and it is working as it was before ?